
LAND SURVEYOR

North Crownhill Road Extension CONSULTING ENGINEER Intersection Co. Rd. 47 with Co. Rds. 207 & 29 I.AN Phone 682 4906 R.D. I. ORRVILLE, OHIO REGISTERED PROFESSIONAL ENGINEER & SURVEYOR PRAIRIE TOWNSHIP--HOLMES COUNTY PART OF THE SOUTHEAST QUARTER SECTION 30 T-14, R-13 and PART OF THE SOUTHWEST QUARTER SECTION 29, T-14, R-13 I certify that this plat was made from field notes of a field survey made July 21 and 22, 1966 to divide land of Dale and Margaret Schlagel, Deed Villar, Signed: dan. Willard Landis, Registered Professional Surveyor #4425, 12 1914 State of Ohio \* IP found Parcel#2 Deed Vol NG:313,0 N O IP set A Drive spike set 103.00 Ac Total MW .79 A: hereby Sold Un + Line Parcel #2 . Scale 1"-50 ft 451 Bal. 102.21 Bal. Parcel Line Parcel SF Total 0.8 #2 Ac From Parcel # 0.03 A. From Parcel #2 .79 Ac A. Total 0.82 Ac Derd Deed SW Qtr. See 29 T. 10 R. 13 50.009 c Pro Doed 51 0 03 -c hereby Sold 313 49.97 Ac Bal, in Parcel O. GIAc. 1 6 井1. 313 STAT . 18. WIL SE atr. Pril Drive spike set A . 6 Sec. 30. Flairi NE cor of dwelling C. O.ZIAc. SW 102.6 ft. " P SW Cor barn foundati SE 48.6 ft. OR . IP set 19.6 ft west SE Lor. Sec 30 T-14 R-13 \$85°5718 LINE a Total 118.1 Dids Vil. 122:120 129 14, R-13 SEC. 29 25.7 Sec. 32 32 31 Northeast Corner Horn Prop. Deed Vol 122:120 481.8 A CA 81464 RECT. august 8-1966 ATZ: 44 OCLOCK F.M. RECORDED: august 10,1966 HOLMES COPERTVOL 4- PG/27 FEE: \$/+ Coly, Juderson DECORDER

4 PAGE 107

VOL



0

*(* 

4 PAGE 107 VOL Lot7 Lot 6 B Stone (Found) 6 25 0 Lotiz Lotll in 1221 (Iron Pin(set) 000 116.70 0 2 00 575027'20" N. 00:00 Milla 0 951201 20 0 Urvey Tron Pin(sati 0.85 Acres 6 9 0 5 + Ausiai 1070 3:01.53° 05.510.16 5 20 0 0 Tron Pin (Set) Mar Y Ņ Situated 0 S 53 ober Store 1110 OWD 2410 rears: 122 Eron Pin(Set) Dead Lands of Dan Vorth (Original N and Rabacco 2 Miller  $\leq$ N 150051 N 479. 81533 52 541.05 RECT- Querot 17-1966 356. 24.62 Lot 11 AT/2:450 CLOCK H.M. 110 LEE NASHER 0 RECORDED: Quant 19. 1966 HOBERT. lia. 5133 A. . . 0 STEREU colder vol 4 PG/67 Ø HOLMES East Line Lot12 0. BOAcres in Lot 11 EE. LIANA CALECORDER CISSIA. Iron Pin (set)-- 139.25 15.29 -Iron Pin (Set, 43.551 -2. & of Twp. Rd. No 8 578°45'E 0 00 171 scala: 1"-100' "A" Apin "located" and describ- S 185. Lands of ed as being on the NW cor-Dan E. and Anna D. Chupp ner of atract described in V155 P33 Holmes Co. Iron Pipe (Found) SE Corner Lot 12 Daad Record bears 540° 12'E 47.53'as shown.

South Line of Duncan St. \$70°44'E Iron Pipe ア DUNCAN 4 STRE STREET WATER N 14° 38'E ron pipe 12 80.5 . 12 Acres Iron Pipe of Water ron pipe .13 Acres Eastline 75.4' F 30 Б Ш 62, m Ш S Q SHOWING LOCATION 1 OF THE S 97.6' HATTIE GALION PROPERTY MAIN IN THE Village of Killbuck Iron Pipe 81582 Section & Township 8, Range 7 Lot 169 Hardy Township Holmes County RECD: ô AT HAT TO CLOCK-Line RECORDED: Lingust 25-1966 HOLMES COPLET VOL 4 PG/07 Scale 1'= 20 ft, July 1966 West William Sellner Drawn from a survey by Reg. Sur. No. 39/5 LAGAN RECORDER