

, Northwest corner of ot 6 VOL 4 PAGE 148 536.3' S82°16'E 570.81' 150. & Stote Route 39 Iron Pin (Set) Iron Pin (set) RECTO 44 10 8-1967 ATS:/Abciog_A RECORDED Aget 13. 1967 0.69 AC. HOLMES CONTRACTOR AND A Iron PinjSet V82216 W 150' Iron Pin Set) PLAT OF SURVEY Benjamin Jr. and Iva Mast MOSES WEAVER Known as part of Lot G in Ind Qtr. Township 9, and Range 5. Wolnut Creek Township, Hoimes County, 25 <u>5</u>C and State of Ohio. Robert Lee Kasner Registered Surveyor#5193 Graphic Scale in Feet 6/16:67

4 PAGE 148 " VOL 1 N West Line Sec. Sec. 1 Sec. 10 } A.F. Rohskoph 31.322AS N22°30W 57.78 TWP. Rda296 8.0 84130 N 4-00-5 550°-30'W 7.19-1967 1227.47 REC'D; Earl Myers LSociocil ATL RECORDED: Sept. 20.1967 11.653A5 HOLMES COL TOL H PS/H 8 953.8 FEF. Vevelis udehoos - HECORDER •-Denotes Iron Pin MISKIMEN SURVEYING 306 SOUTH BROADWAY NEW PHILADELPHIA, OHIO Plat of Survey for A.F. ROHSKOPH & EARL MYERS Located in Sections 1410 TB-R8 CERTIFICATE OF SURVEYOR COFLO Killbuck Twp. Holmes County I, the undersigned, hereby certify that the map is true and correct. Ohio Scale: 1 = 400 Date 6-8-67 1. 0 Registered Surveyor No. 453 nux ==

4 'PAGE 148 N.E. Cor. 84053 VOL N.W. Qr. Sec. 7 RECD: September)8-1967 52°00'W 988.4' ATZilfoclock P.M. RECORDED. Sept. 12. 1967 HOLMES COPPET VOL # PG148 FEE: S 573°00'W audera LRECORDER Evely AN 14 721.8 cha Joe Erb E 5 27° 54 E 3 479.4 1.19. N 64° 44'E 10 196.15 5 29 48'E 42' Jae Erb 529045 N Abe A. C. Raber 1.15 Ac. .79 Ac. Parcel deeded \$76.48 by Joe Erb to Abe A.C. Raber 10 N63°12'E 63.4 SHOWING LOCATION 174.5 5370534 OF THE ABE A.C. RABER Marker SUR AND DAVID RASER 300,75 PROPERTIES IN - Wicket CA HAC . No Section 7, Township 8, Range 5 TATE Buildings r Clark Township, Holmes County 1. P. Ohio ROUTE 333.6 No Bultaings Aug. 1967 Scale 1"= 100 ft. 800 Parcel deeded by Abe A.C. Rabel 551 Drawn from to David Raber William Sellner a survey by Reg. Sur. No. 3915 SUR Varker

WALNUT CREEK TOWNSHIP--HOLMES COUNTY PART OF THE NORTHWEST PART OF THE NORTHEAST QUARTER SECTION 15. T-9. R-4 4 PAGE 148 VOL 6 Α PS Sec. Line S89º13'E NW Corner NE Qtv. Sec. 15. T9, R-4 328. 15 52°W 1147 O IP set X Drive spike set Stone Found Scale 1'-100 ft S 31°W 257.0' A. Stone found. NW Corner Sec 18, T-9, R-4 18" Wild Cherry East 58.5 ft 6" Wild Cherry South 6.5 ft Stone sets at corner post B. Drive spike set in road SE Corner house NW 138.1 ft 1.30 Ac NE Corner barn foundation 50 SW 64 ft S10"W 180' IP set East on line 24.9 ft Housi C. Set drive spike on QSL Corner post N 16.5 ft IP set north 28 ft Spike 2' up 12" Walnut E 32.3 Spike 2' up 18" Ash SSW 44 ft B 1 Note: Farm buildings S10-17'W 200. 2 Barn are situated on this 4.30 Acre parcel. Deed 21.33 Ac. - 4.30 A. 17.03 Ac. Remainder. I certify that this plat was made from field notes of a field survey made July 24, 1967 to d divide land of Holmes Land Company, Deed Vol. S 14º 13'W 172.8' 163: 241, Walnut Creek Twp., . Section 18. Northeast quarter. 0 Signed: and Willard Landis, Registered Profess. Registered Professional Surveyor #4425. State of Ohio 84111 RECT. 2015, 16-1967 SE OF 5 43 . 26'W 156.2' AT / Stocloc RECORDED NOL # PG. HOLMES COSE FEE: S. H AVEY au A.P. 53% TECORDER