
VOL 4 PAGE 170	85588	VOL 4 PAGE 169 Paid \$/ North Crownhill Road Extension (or CR 47)
Phone: 682-4906	ILLARD LAN	DIS At the Intersection with CR 29 or 207 R.D. I, ORRVILLE, OHIO
SALT CR	EEK TOWNSHIPH	OLMES COUNTY
PART Sect.	OF THE SOUTHEAST PART OF THE ION 29, T-15	NORTHEAST QUARTER, R-12
• IP Found) Drive spike set 0 Iron pipe set	THIS CORRECTION CANCELS AND R IN VOLUME 4, PAGE 169-WHICH S Scale 1"-100 ft	EPLACES SURVEY AS RECORDED HOWS INCORRECT TOWNSHIP (NAME.
5. Stone with drive 18" Walnut NE 61. Twin 12" eaks NE Spike N side 12"	4 ft 96.6 ft	20 21
	elling are being constructed escribed and surveyed.	en the 4.07
N 88°40.5	A7 501	
6.4 8.	47.78	S 000 0
05 6 276.0	4.078Ac.	20.W SEC.
29 29 2	588 05'W 658.0	SE Corner T NE OTT Sec 29 28 A
29 29	QSL	T.IS, R-12 28
made as of June 10, Deed Vol 130: 147. REC'D: <u>June 12, 1968</u> W	plat was made from field note 11, 1968 as made to divide la <i>Willan Nande</i> s illard Landis, Registered Pro	ofessionat Surveyer,
RECORDED: Jane 12-1268	#4425, State	
HOLMES COPIAT VOL 4 PE 169 FEE: \$1.00 SEE AMMENDED 1	PLAT	6/5184 6/518
Eugly Onderen Martin	85624	101
	17-1918	
	AT 9:30 O'CLOCK H.M.	68
	RE- RECORDED: Sunder F	
	CUELY de dernureconden	

KLINE TO MILLER SURVEY N.W. QUARTER SECTION 8 RANGE 6 TOWNSHIP 9 TOWNSHIP BERLIN COUNTY, OHIO HOLMES Section Line N86°W 386.00' (364.98'Deed) Jonas D. Miller 3.07 AS 425 AS O-Pin Sat No Buildings · Cor. Post 50 386.00 2683. "=200' 586°E 00 Reference Kline J. IrA V-146 P-467 S.W. COR. N.W. QTR. SEC. 8, TWP. 9 RAN. 6 BERLIN TOWNSHIP V 0 HOLMES COUNTY. OHIO 586°00'E 970.20' (Deed) 8 Qtr. Sec. Line 8 I CERTIFY THIS SURVEY MADE FOR IRA J. KLINE AND JONAS D. MILLER, COMPLETED MAY 18, 1968 TO BE CORRECT TO THE BEST OF MY 85617 KNOWLEDGE AND BELIEF. REC'D: June 1-5-1968 AT/0:4-50 CLOCK H.M. SIGNED WILLIAM T. BURKEY RECORDED: guese 12-1968 HOLMES COMPLE VOL 4- PG. 170 FFF: \$1, 90 REGISTERED SURVEYOR #5107 STATE OF OHIO 可利用被属? FEE: \$ BADT Evely liderson RECORDER



CUELL MYAPISAN RECORDER 4 PAGE 170 VOL . RIPLEY TOWNSHIP SEC. 5 SE QTR T-17 R- 14 HOLMES COUNTY DHIO 514 5 5 1/4 Sec. Line 5.R. 151 Center sec 5 SPIKE IN RD. I.P. ON LINE 25'SE 18" PIN OAK SW 26 S R.R. SPIKE NW COR CULV. S. 22 A1. 34. E. EPOLE SE CO.7 18" WALNUT SW 57.8' . £ 3 225 95.33 0.83 Ac 18" WALNUT NW 13.8" 80,36 197.6 36.51 W 140 0. 56 Ac 5 218.8 NIGON I.P. RESET made for CARL BALLARD RO , BIG PRAIRIE OHIO - IRON CORS FO O-IRON CORS SET SCALE 1" = 100' SEC 1 COR. POST / CERTIFY THIS SURVEY TO BE CORRECT 85623 TO THE BEST OF MY KNOWLEDGE REC'D: June 15-1968 8.21.64 COMPLETED AT/01300 CLOCK H.M. RAVIN GASBARE PS 4153 RECORDED: 17-1968 HOLMES COOPERSTOL 4- PG. 120 MURPHY MORID : GASBARRE ENGINEERING ASSOC. FEE: \$1.00 P.O. BOX 157 WOOSTER OHIO Wely au de home BEGORDER