588°30'E - 1032.2% TR #351 588°30'E 667.3" Railroad Spike 468 351 Railroad spike NWCERF SW/4 198 75' 516, TI3N, RI3W 3.22 Ac. Vol. 148 Pa 171 1.00 " Conveyad. 1.00 AC. 410 2.22 Ac. Ramaining 498.84' Iron Pipa 237.56' Eron Pipa N88°30'W 716.4' Railrood Spike . 100 200 300 400 500 GRAPHIC SCALE IN FEET 96502 13/112 AT 3:59 00 000 1. m. PLAT OF A SURVEY FOR ROBERT " LES KASNER RECORDED And 18, 1972 RIGHARD CROSKEY situated in Frairie Township, Holmes 110 5193 HOLMES COP/ATVOL 5 PO. 149 County, and State of Onio. VISTERE? FEE: 5 2.0 Knownas part of S.W. 14 Sec. 16; Richard Graven accord TI3N, ERI3W. Robert L.Kosnar Ragistarad Survayor # 5193

PRAIRIE TOWNSHIP SWOTR SEC 27 T-14N R-13 W HOLMES COUNTY, OHIO MADE FOR: INM BRINKERHOFF R.D. 1 HOLMESVILLE, OHIO 御. ALVIN STUTZMAN 9.5 Ac. 1.5 Ac. 8.0 Ac. 588°44'E LINE 15 5'E. of. 250.0 000 Fence 91.16 3 1.50 Ac. SCALE 1"= 100 SEC. 250.0 LINER T.R. C46 N 88944 W 34 96492 RCD ept. 12,1972 AT 10:45 O'CLOCK a. m. • IRON CORS FD. ECORDED 241. 12, 1972 OIRON CORS SET HOLMES OD P/MTVOL 5 PG. 149 2.0 Richard Graveneconden I CERTIFY THIS SURVEY TO BE CORRECT TO THE BEST OF MY KNOWLEDGE. COMPLETED 7.28.72 PASTA ando RAX WGASBARRE PS. 4153 R.W. GASBARRE EASSO P.O. BOX 94 WOOSTER, OHIO

Land Surveying 3240 Shelly Blvd. Telephone 345-7785 Wooster, Ohio 44691 SURVEYING WM. TERRY BU KAUFFMAN TO DENLINGER SURVEY LOT 1-THIRD QUARTER TOWNSHIP RANGE 6 TOWNSHIP 10 TOWNSHIP CREEK SALT COUNTY, OHIO AUGUST 8, 1972 HOLMES COMPLETED Pin Set Spike Fd 4.5.R.241 Scale 1": 200' TWPRD 204 Pin in N. Berm S. R. 241 (See Deed) 45 96528 INDEXED RECT: d.e.t. 15, 1972 AT 11: 460 CLOCK RM 2.02 AS HOLMES CO. Platon 5\_ PG/49 No Bldgs. FEE: \$ 2.00 Point 'U in Richard . An south ALA RECORDER Berm 5.R.2.44 I CERTIFY THIS SURVEY MADE FOR ELMO S.E. Cor. KAUFFMAN AND CLARENCE DENLINGER TO BE CORRECT TO THE BEST OF MY KNOWLEDGE AND Lot 3rd Atr. Tu 19 CR BELIEF. 11:10 SIGNED

Point A is N4°30'E 3333', N82°E 389.4', N72°E 2824; N76°E 198' &N 80°E 330' from SW corner Lot 27. Tron Apa by Wolnut trad - Iron Pin 583°18' 24"E 102 02/2. Iron Pipe 26300; 584°30'39'W 501.15' 240.15 5.69 Acras A: 24.54' D: 5.0' P: 14592' A: 298.00' L.C. 494. 10' T: 853.00' L: 498.00' L.C. 494. 10' T: 853.00' L: 498.00' L.G. 494. 10' T: 853.00' .9 4,79 Acras Est. R/W Nat 515.00 59°36'39"W GRAPHIC SCALE IN FEET 400 \*6°0, 8=9 54.93 0 200 LC PRAN 2 96530 INDEXED RECT: d set. 15. 1972 AT 11:37 OCLOCK AM RECORDED: d sal. 15.1972 HOL WES COPPLETON 5 PE 149 AT OF CHIO FEE: \$ 7.80 ROBERT (EE WASHER Ro 5193 hiland Graven mooron PLAT OF A SURVEY OF A 5.69 ACRE TRACT yma. Situated in Paint Township, Holmas County, and State of Ohio. Known as SURVEY part of Lot 27, 4th Quarter, Township ION, FRSW. Robart L. Kasnar, Registered Surveyor # 5/93 10×14